

# **CONTENT**

MERCHANDISE DISPLAY	2
FRESH FOOD & GROCERY	4
POINT OF SALE	6
COMMON AREA	8
BATHROOMS	12
BACK OF HOUSE	14
EXTRIOR & SIGNAGE	16
CONTROLS	18
EMERGENCY	20



# **ORBIT TRACK LIGHT**








on the back of the fixture.







### **REFINE PAR LAMPS**

- Powered by TRUE CHROMA technology (95 CRI min)
- High color fidelity, balanced light distribution, and minimal glare
- Wide offering of CCTs, beam angles, and wattages



### **NOVA TRACK LIGHT**

- Wide and uniform lighting across expansive surfaces from top to bottom
- Field selectable CCT and lumen levels
- 360° rotating head and 90° pivot design



# POWER AND CCT SELECT HID REPLACEMENT LAMPS

- Innovative locking cover to secure power and CCT settings after installation
- Field selectable CCT and light output levels
- Available in classic A21, A23 and PS30 bulb shapes



### ATOM TRACK

- Classic, minimalistic, cylindrical form factor
- CRI 90, 2700K, 3000K, 4000K CCTs
- Up to 1050 lumens in 25° or 35° beam angles



### CCT SELECT REFINE MR LAMPS

- EMENT LAMPS

  Is Suitable to replace up to a 75W halogen MR lamp and CCT settings

  In Powered by TRUE CHROMA
- ion
  le CCT and light

  technology (95 CRI min)

  Smooth dimming with most electronic
- ls low-voltage dimming controls



### **PXCYL CYLINDERS**

- Elegant design with wide application use
- Five interchangable beams angles
- Industry leading lumen selectable output up to 5,000lm



### **ENVI DESIGNER PANEL**

- Lumen and CCT Selectable
- Various Lens Options
- Acrylic Drop Lens
- Acoustic Drop Panels



### **VOLUMETRIC TROFFER (VOLA)**

- Architecturally designed volumetric troffer
- High efficacy up to 151 lm/W for enhanced energy savings
- Advanced controls options for asset tracking



### DISCOVERY LINEAR STRIP (DSC)

- Highly configurable spec grade strip
- No visible fasteners providing a smooth uninterrupted design
- Standard Efficacy (SE) and High Efficacy (HE) lumen packages
- 2', 4' & 8' lengths available



# **REFINE PAR LAMPS**













REFINE Pars featuring TRUE CHROMA technology deliver the color accuracy critical to replace Ceramic Metal Halide lamps. Available in 277V these long life lamps deliver high intensity light perfect for highlighting grocery, merchandise, and other displays, without compromising efficiency.



### AdjustaPAR LAMPS

- 2 selectable beam angles
- 5 selectable CCTs
- Compatible with SOL Track Head



### **HO PAR LAMPS**

- Very high light output
- Suitable to replace 75W/250W halogen and 39W/70W CMH
- Exceptional color rendering CRI 92



### **SPECFIT**

- 4". 6". 8" & 9.5" form factors
  - Adjustable lumen output
  - TRUE CHROMA version available



### SOL TRACK HEAD

- Integrate durable track housing with upgradable LED PAR lamps
- 2-plane gimbal design
- Options of H and J type adapters



### ATOM TRACK

- Classic, minimalistic, cylindrical form factor
- CRI 90, 2700K, 3000K, 4000K CCTs
- Up to 1050 lumens in 25° or 35° beam angles



### ORBIT TRACK

- Specification grade & performance design
- Spot, narrow & flood interchangeable optics
- Industry leading lumen selectable output range



### SLIM STRIP (SS 3.0)

- 1.9" Width
- Lumen and CCT Selectable
- 2,000 to 12,000 Lumens
- 2', 4', & 8' Sizes




### ENDEAVOUR HIGH BAY (EDV 2.0) ROUND HIGH BAY (RB4)

- Sleek curved polycarbonate end caps for polished look
- Uplight option to enhance full room illumination
- White & black housing options



- Aesthecially pleasing compact round high bay
- Frosted primary lens & diffusers provide soothing optics
- 14,000 to 34,000 lumens



# **BACK LIT FLAT PANEL** (VPAN SELECT)



















VPAN Select takes the ubiquitous Flat Panel luminaire to the next level with full selectability of lumen output and color temperature. It is the perfect solution for many troffer applications and the new selectability offers simplicity and SKU reduction opportunities. Designed with micro-optics that produce smooth and uniform low-glare illumination for optimal visual comfort. Its built-in tool-less field-selectable technology offers three lumen options and three CCT options offering elite versatility when needed most. With a depth under 2", VPAN's robust die-formed housing easily installs in shallow plenums with room to spare.



### **REFINE PAR LAMPS**

- Powered by TRUE CHROMA technology (95 CRI min)
- High color fidelity, balanced light distribution, and minimal glare
- Wide offering of CCTs, beam angles, and wattages



### T8 LAMPS

- Options for plug and play ballast install, line voltage wiring, or external driver, are available
- Options for replacing most linear fluorescent lamps
- Wide light emitting area



### **SPECFIT**

- 4". 6". 8" & 9.5" form factors
- Adjustable lumen output
- TRUE CHROMA version available



### SELECTFIT G2

- 4", 6", 8" & 9.5" form factors
- Field adjustable 3 level lumen outputs and 5 CCTs
- DualDim for both 120V TRIAC/ELV and 0-10V dimming



### ATOM TRACK

- Classic, minimalistic, cylindrical form factor
- CRI 90, 2700K, 3000K, 4000K CCTs
- Up to 1050 lumens in 25° or 35° beam angles



### **VOLUMETRIC TROFFER (VOLA)**

- Architecturally designed volumetric
- High efficacy up to 151 lm/W for enhanced energy savings
- Advanced controls options for asset tracking







### VOLUMETRIC RETROFIT KIT (LANCE) DISCOVERY LINEAR STRIP (DSC) SLIM STRIP (SS 3.0)

- Architecturally designed volumetric troffer retrofit kit
- High efficacy up to 151 lm/W for enhanced energy savings
- Advanced controls options for asset tracking
- Highly configurable spec grade strip
- No visible fasteners providing a smooth uninterrupted design
- Standard Efficacy (SE) and High Efficacy (HE) lumen packages
- 2', 4' & 8' lengths available





- 1.9" Width
- Lumen and CCT Selectable
- 2,000 to 12,000 Lumens
- 2', 4', & 8' Sizes



# **SPECFIT**















SPECFIT downlight fixtures are a flexible, customizable solution for a variety of retail locations. From large spaces with high open ceilings to narrow hallways with a suspended grid ceiling, the SpecFit can easily provide the right combination of optical performance, energy savings, and advanced lighting control integration needed for retail spaces.



### REFINE PAR LAMPS

- Powered by TRUE CHROMA technology (95 CRI min)
- High color fidelity, balanced light distribution, and minimal glare
- Wide offering of CCTs, beam angles, and wattages



### **BR LAMPS**

- Suitable to replace up to 65W incandescent lamps
- Provides comfortable, diffused light
- Dimmable with forward and reverse phase controls



### **PL LAMPS**

- Replacements for fluorescent lamps from 7W - 42W
- Bases compatible with most fluorescent pin sockets
- Options for plug and play ballast install or wiring to line voltage



- Options for plug and play ballast install, line voltage wiring, or external driver, are available
- Options for replacing most linear fluorescent lamps
- Wide light emitting area

T8 LAMPS



### SELECTFIT G2

- 4", 6", 8" & 9.5" form factors ■ Field adjustable 3 level lumen outputs and 5 CCTs
- DualDim for both 120V TRIAC/ELV and 0-10V dimming



### **INNOFIT PLUS**

- 4", 6", 8" & 9.5" form factors
- Field adjustable 3 level lumen outputs and 3 CCTs
- Wet, IC, and Air-tight rated



- Lumen and CCT Selectable
- Various Lens Options

**ENVI DESIGNER PANEL** 

- Acrylic Drop Lens
- Acoustic Drop Panels



### **UTILITY WRAP (SWR)**

- Sleek modern design
- Suitable for continuous run applications
- 2ft and 4ft configurations



### **VOLUMETRIC RETROFIT KIT (LANCE)**

- Architecturally designed volumetric troffer retrofit kit
- High efficacy up to 151 lm/W for enhanced energy savings
- Advanced controls options for asset tracking



# **CLICK WITH SENSOR**



The integral passive infrared sensor of the CLICK surface mount fixture helps deliver a balance between high quality 90 CRI light and energy savings in variable occupancy spaces. Turning on instantly with room occupancy and off after ten minutes of room vacancy, the CLICK provides easy and reliable fixture control and performance.



### REFINE PAR LAMPS

- Powered by TRUE CHROMA technology (95 CRI min)
- High color fidelity, balanced light distribution, and minimal glare
- Wide offering of CCTs, beam angles, and wattages



### **ORBIT TRACK**

- Specification grade & performance design 4", 6", 8" & 9.5" form factors
- Spot, narrow & flood interchangeable optics Adjustable lumen output



### **SPECFIT**

- Industry leading lumen selectable output TRUE CHROMA version available



### MINIFIT

- 1" & 2" 360° rotation gimbals
- 2" module with extensive trim selections
- Perfect for shallow plenum construction



### **ENVI DESIGNER PANEL**

- Lumen and CCT Selectable
- Various Lens Options
- Acrylic Drop Lens
- Acoustic Drop Panels



### **VOLUMETRIC TROFFER (VOLA)**

- Architecturally designed volumetric
- High efficacy up to 151 lm/W for enhanced energy savings
- Advanced controls options for asset tracking








### VOLUMETRIC RETROFIT KIT (LANCE) DISCOVERY LINEAR STRIP (DSC) SLIM STRIP (SS 3.0)

- Architecturally designed volumetric troffer retrofit kit
- High efficacy up to 151 lm/W for enhanced energy savings
- Advanced controls options for asset tracking

- Highly configurable spec grade strip
- No visible fasteners providing a smooth uninterrupted design
- Standard Efficacy (SE) and High Efficacy (HE) lumen packages
- 2', 4' & 8' lengths available



- 1.9" Width
- Lumen and CCT Selectable
- 2,000 to 12,000 Lumens
- 2', 4', & 8' Sizes



# **VOLUMETRIC TROFFER (VOLA)**



**Enlighted ♦ COLUTION** 





- Suitable to replace 60W, 75W, 100W incandescent lamps
- Provides comfortable, diffused light
- Dimmable with forward and reverse phase controls



### G25 LAMP

- Suitable to replace a 40W incandescent G25 lamp
- Smooth dimming with existing dimmers
- Frosted glass diffuser delivers soft and even light distribution



### **PL LAMPS**

- Replacements for fluorescent lamps from 7W - 42W
- Bases compatible with most fluorescent pin sockets
- Options for plug and play ballast install or wiring to line voltage



### **CLICK WITH SENSOR**

- Integrated PIR sensor
- Wet, IC & Air-tight rated
- Nonconductive polycarbonate trim



### **ENVI DESIGNER PANEL**

- Lumen and CCT Selectable
- Various Lens Options
- Acrylic Drop Lens
- Acoustic Drop Panels



- Options for plug and play ballast install, line voltage wiring, or external driver, are available
- Options for replacing most linear fluorescent lamps
- Wide light emitting area



### VOLUMETRIC RETROFIT KIT (LANCE) DISCOVERY LINEAR STRIP (DSC) UTILITY WRAP (SWR)

- Architecturally designed volumetric troffer retrofit kit
- High efficacy up to 151 lm/W for enhanced energy savings
- Advanced controls options for asset tracking

- Highly configurable spec grade strip
  - No visible fasteners providing a smooth uninterrupted design
    - Standard Efficacy (SE) and High Efficacy (HE) lumen packages
    - 2', 4' & 8' lengths available



- Sleek modern design
- Suitable for continuous run applications
- 2ft and 4ft configurations





# **UTILITY WRAP (SWR)**















With its slim design, the SWR Utility Wrap offers a versatile and simple solution to commercial and industrial project lighting. Lumen and CCT selectable, this luminaire is the perfect linear solution for a multitude of spaces. The integrated driver, combined with the sleek body design, creates an efficient solution to illuminate your space without sacrificing aesthetics.



### **T8 LAMPS**

- Options for plug and play ballast install, line voltage wiring, or external driver, are available
- Options for replacing most linear fluorescent lamps
- Wide light emitting area



### PL LAMPS

- Replacements for fluorescent lamps from 7W - 42W
- Bases compatible with most fluorescent pin sockets
- Options for plug and play ballast install or wiring to line voltage



### **INNOFIT PLUS**

- 4". 6". 8" & 9.5" form factors
- Field adjustable 3 level lumen outputs and 3 CCTs
- Wet, IC, and Air-tight rated



### **ENVI DESIGNER PANEL**

- Lumen and CCT Selectable
- Various Lens Options
- Acrylic Drop Lens
- Acoustic Drop Panels



### **VOLUMETRIC TROFFER (VOLA)**

- Architecturally designed volumetric troffer
- High efficacy up to 151 lm/W for enhanced energy savings
- Advanced controls options for asset tracking



### **VOLUMETRIC RETROFIT KIT (LANCE)**

- Architecturally designed volumetric troffer retrofit kit
  - High efficacy up to 151 lm/W for enhanced energy savings
  - Advanced controls options for asset tracking



### DISCOVERY LINEAR STRIP (DSC)

- Highly configurable spec grade strip
- No visible fasteners providing a smooth uninterrupted design
- Standard Efficacy (SE) and High Efficacy (HE) lumen packages
- 2', 4' & 8' lengths available



### ENDEAVOUR HIGH BAY (EDV 2.0)

- Sleek curved polycarbonate end caps for polished look
- Uplight option to enhance full room illumination
- White & black housing options



### **ROUND HIGH BAY (RB4)**

- Aesthecially pleasing compact round high bay
- Frosted primary lens & diffusers provide soothing optics
- 14,000 to 34,000 lumens



# **SKYLINE AREA & FLOOD** (SA/SF)

















The Skyline's sleek aesthetic makes it perfectly-suited for warehouse area & flood applications. Designed for both new construction and retrofit, the Skyline provides a one-for-one solution for replacing legacy metal halide or high pressure sodium luminaires. Priced for payback, it's cost effective die-cast aluminum housings comes in 3-sizes and DLC Premium efficacies, making it the best choice for low acquisition cost and high energy savings. The highly configurable Skyline provides superior illumination, reliability, and ease of installation, exceeding most application requirements.



### **VIEWPOINT AREA LIGHT (VA)**

- Type 3, 4, & 5 distributions
- Lumen selectable from 14,000 to 42.000 lumens
- Adjustable Pole(Rd/Sq), Wall, or Slip-fitter mounting options



### VALUE FLOOD SERIES (VF)

- 5 luminaire scales delivering 2,000-40,000 lumens
- CCT & lumen selectable (up to 14k lumens)
- Knuckle, Trunnion, Slip-Fitter, & Pole Mount Options



### **VIEWPOINT WALL PACK (VWM)**

- Full cutoff type 3 & 4 distributions
- CCT & lumen selectable (up to 14k lumens)
- Optional sensors and battery backups



- 2 sizes with multiple optical distributions
- Legacy aesthetic with next generation performance
- Sensor & wireless controls ready



### FULL CUTOFF WALL PACK (WPC) VALUE SLIM WALL PACK (SWP)

- Fully adjustable with 5 light levels & 2 sizes
- CCT color selectable
- Replace 70W-320W MH



### **VALUE SQUARE CANOPY (CP)**

- Save up to 85% in energy
- Quickly meet financial payback thresholds
- Microwave sensor ready



### ROUND PARKING GARAGE (UFO) BOLLARDS (BxT)

- Visually comfortable illumination
- 10% uplight reduces cave effect
- Sensor & wireless controls readv



- 6" flat or dome top bollards
- Value driven, quick ROI
- Multiple beam patterns



### **POLES & BRACKETS**

- Straight square steel poles up to 40'
- Multiple bullhorn, wall, and wood pole mounting options
- Adapters for every site scenario





# **CONTROLS SOLUTIONS**





- Economical grouping solution
- Occupancy & daylight functions
- Programmable with phone app
- Wireless scalable design
- No gateway required



# SYNOPSE

- 2.4 GHz Wireless Mesh Network
- Occupancy, daylight, zone, scene, & scheduling control with optional energy monitoring
- Secure wireless scalable design
- Gateway for enhanced functionality






- Occupancy & RF solutions
- Occupancy, daylight, & demand response capabilities
- Wireless scalable design
- Vive HUB for enhanced functionality





Athena wireless node is a radio frequency (RF) device that enables simple, digital control of individual light fixtures in an Athena control system. Enables individual wireless control of each fixture in an Athena control system. Accommodates zone and control changes without rewiring. All drivers on the link are controlled as a single zone. Provided with factory installed components only. Lutron Athena system provided by others.



# **EMERGENCY SOLUTIONS**

### ILP EXEM



### **GREEN CREATIVE**



### **GREEN CREATIVE**



### **FULHAM**





- Full line of signs and lights for code compliance
- All products feature thermoplastic housings and LED lighting heads
- Standard and High Output available for varying mounting heights and spacings
- DOE and CEC registered



### GREENCREATIVE

- Multiple wattage selections from 5W to 24W
- Specifically designed to work with a wide variety of GREEN CREATIVE's lamps and fixtures
- Meets or exceeds all NEC and life safety code emergency lighting requirements
- CA Title 20 compliant version available
- Additional accessories options for various mounting methods



### **GREENCREATIVE**

- Industry's first CCT select emergency T8
- Constant power output in emergency mode for a minimum of 90 minutes
- Field selectable three color temperatures
- Continuous self-test design to ensure tube safety



- Fulham's HotSpot 10.7W and 17W constant power emergency drivers
- Bring field-installable backup power to LED luminaires
- All standard models are now CA Title 20 compliant

# RETAIL APPLICATION BROCHURE





www.greencreative.com

www.ilp-inc.com

An ILLUMUS Brand

www.ILLUMUS.com